

XP-002203374

AN - 1995-220730 [29]
 AP - JP19930303348 19931108
 CPY - SHID
 DC - C03 D22 E19 F09
 FS - CPI
 IC - A01N25/02 ; A01N25/30 ; A01N47/10
 MC - C07-F01 C10-A12C C12-M09 C14-A06 D09-A02 E07-F01 E10-A12C2 F05-B01
 M1 - [03] G013 G100 H4 H401 H5 H541 H589 H8 M220 M223 M231 M240 M281 M312
 M323 M332 M342 M383 M393 M423 M431 M510 M520 M531 M540 M620 M782 M903
 M904 P002 P241 Q261 Q324 V743; R16392-M
 M2 - [01] H6 H604 H683 H7 H731 K0 L4 L463 M210 M214 M231 M273 M281 M313
 M321 M332 M342 M362 M391 M416 M431 M782 M903 M904 P002 P241 Q261 Q324;
 R04780-M
 - [02] F012 F013 F014 F015 F720 H2 H211 H6 H602 H608 H622 J5 J521 L9
 L941 M220 M222 M231 M273 M281 M320 M413 M431 M510 M521 M530 M540 M782
 M903 M904 P002 P241 Q261 Q324; 9529-69501-M
 M3 - [01] H6 H604 H683 H7 H731 K0 L4 L463 M210 M214 M231 M273 M281 M313
 M321 M332 M342 M362 M391 M416 M431 M782 M903 M904 P002 P241 Q261 Q324;
 R04780-M
 - [02] F012 F013 F014 F015 F720 H2 H211 H6 H602 H608 H622 J5 J521 L9
 L941 M220 M222 M231 M273 M281 M320 M413 M431 M510 M521 M530 M540 M782
 M903 M904 P002 P241 Q261 Q324; 9529-69501-M
 PA - (SHID) SHINTO TORYO KK
 PN - JP7133205 A 19950523 DW199529 A01N47/10 006pp
 PR - JP19930303348 19931108
 XA - C1995-101672
 XIC - A01N-025/02 ; A01N-025/30 ; A01N-047/10 ; (A01N-043/80 A01N-047/10)
 AB - J07133205 Compsn. contains 3-iodo-2- propynylbutylcarbamate,
 4,5-dichloro-2-n-octyl-isothiazoline-3-one, glycol type solvent and
 surfactant.
 - The compsn. also contains water. The glycol type solvent is ethylene
 glycol, propylene glycol, diethylene glycol, triethylene glycol,
 dipropylene glycol, hexylene glycol, diethylene glycol monomethyl
 ether, diethylene glycol monoethyl ether, diethylene glycol monobutyl
 ether, polyethylene glycol, or poly propylene glycol.
 - ADVANTAGE - The compsn. for wood has high antifungal activity, good
 penetration into wood and is safe. The compsn. also has good
 workability.
 - In an example, formulation examples comprised
 - (1) IPBC:C-OIT:PG:Nonipol 80:water = 9:1:60:10:20,
 - (2) IPBC:C-OIT:PH:Nonipol 80:water = 7:3:60:10:20,
 - (3) IPBC:C-OIT:PG:Nonipol 80:water = 5:5:60:10:20
 - (4) IPBC:C-OIT:PG:Nonipol 80:water = 3:7:60:10:20,
 - (5) IPBC:C-OIT:PG:Nonipol 80:water = 1:9:60:10:20 and
 - (6) IPBC:C-OIT:PG:Nonipol 80 = 5:5:80:10,
 - where IPBC = 3-iodo-2-propynylbutylcarbamate,
 C-OIT=4,5-dichloro-2-n-octylisothiazoline-3-one; PG = propylene
 glycol, and Nonipol 80 = polyoxyethylene nonylphenyl ether.(Dwg.0/0)
 C - A01N47/10 A01N43/80
 CN - R04780-M 9529-69501-M R16392-M
 IW - ANTIFUNGAL COMPOSITION PENETRATE WOOD CONTAIN IODO PROPYNYL BUTYL